



SPEC ACCEL™ OCL Result

Copyright 2015-2019 Standard Performance Evaluation Corporation


Harsper Co.,LTD
NVIDIA GeForce GTX 1080
MG140-G1

SPECaccel_ocl_peak = Not Run

SPECaccel_ocl_base = 4.33

ACCEL license: HPG068A
Test sponsor: Harsper Co.,LTD
Tested by: Telecommunications Technology Association

Test date: May-2019
Hardware Availability: Nov 2018
Software Availability: Nov 2018





SPEC ACCEL OCL Result

Copyright 2015-2019 Standard Performance Evaluation Corporation

Harsper Co.,LTD
NVIDIA GeForce GTX 1080
MG140-G1

SPECaccel_ocl_peak = Not Run

SPECaccel_ocl_base = 4.33

ACCEL license: HPG068A
Test sponsor: Harsper Co.,LTD
Tested by: Telecommunications Technology Association

Test date: May-2019
Hardware Availability: Nov 2018
Software Availability: Nov 2018

Hardware

CPU Name: Intel Xeon Silver 4110
CPU Characteristics: Intel Turbo Boost Technology off.
Hyper-threading on.
CPU MHz: 2100
CPU MHz Maximum: 2100
FPU: integrated
CPU(s) enabled: 8 cores, 1 chip, 8 cores/chip, 2 threads/core
CPU(s) orderable: 1
Primary Cache: 32 KB I + 32 KB D on chip per core
Secondary Cache: 1 MB I+D on chip per core
L3 Cache: 11 MB I+D on chip per chip
Other Cache: None
Memory: 64 GB (4 x 16 GB 2Rx8 PC4-2666V-R)
Disk Subsystem: 1 x 250GB WDC WDS250G2B0B SATA
2 x 250GB SAMSUNG MZ7WD480HAGM-00003 RAID1
Other Hardware: --

Accelerator

Accel Model Name: GeForce GTX 1080
Accel Vendor: NVIDIA
Accel Name: NVIDIA GeForce GTX 1080
Type of Accel: GPU
Accel Connection: PCIe 3.0 16x
Does Accel Use ECC: No
Accel Description: NVIDIA GeForce GTX 1080, 2560 CUDA cores,
1556 MHz
8.0 GiB GDDR5 RAM
Accel Driver: NVIDIA Driver Version 418.56

Software

Operating System: CentOS Linux release 7.6.1810 (Core)
3.10.0-957.el7.x86_64
Compiler: GCC version 4.8.5 20150623
File System: xfs
System State: Multi-user, run level 3
Other Software: NVIDIA CUDA 10.1



SPEC ACCEL OCL Result

Copyright 2015-2019 Standard Performance Evaluation Corporation

Harsper Co.,LTD
NVIDIA GeForce GTX 1080
MG140-G1

SPECaccel_ocl_peak = Not Run

SPECaccel_ocl_base = 4.33

ACCEL license: HPG068A
Test sponsor: Harsper Co.,LTD
Tested by: Telecommunications Technology Association

Test date: May-2019
Hardware Availability: Nov 2018
Software Availability: Nov 2018

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
101.tpacf	17.0	6.30	<u>16.8</u>	<u>6.37</u>	16.7	6.39						
103.stencil	<u>36.5</u>	<u>3.42</u>	36.5	3.42	36.5	3.42						
104.lbm	<u>20.5</u>	<u>5.47</u>	20.5	5.47	20.5	5.46						
110.fft	26.5	4.19	<u>26.4</u>	<u>4.20</u>	26.4	4.21						
112.spmv	52.0	2.83	<u>52.0</u>	<u>2.83</u>	52.0	2.83						
114.mriq	7.91	13.8	<u>7.90</u>	<u>13.8</u>	7.87	13.9						
116.histo	<u>60.8</u>	<u>1.88</u>	60.8	1.87	57.6	1.98						
117.bfs	<u>58.4</u>	<u>2.00</u>	58.5	2.00	58.4	2.00						
118.cutcp	10.7	9.27	<u>10.7</u>	<u>9.28</u>	10.6	9.31						
120.kmeans	<u>77.5</u>	<u>1.29</u>	77.6	1.29	77.2	1.29						
121.lavamd	9.57	11.4	9.58	11.4	<u>9.58</u>	<u>11.4</u>						
122.cfd	26.0	4.84	26.1	4.83	<u>26.1</u>	<u>4.83</u>						
123.nw	26.8	4.29	<u>26.8</u>	<u>4.29</u>	26.7	4.30						
124.hotspot	19.7	5.80	19.8	5.77	<u>19.7</u>	<u>5.79</u>						
125.lud	27.2	4.38	27.3	4.37	<u>27.2</u>	<u>4.37</u>						
126.ge	<u>16.8</u>	<u>9.20</u>	16.8	9.21	16.9	9.20						
127.srad	35.9	3.18	36.0	3.17	<u>35.9</u>	<u>3.17</u>						
128.heartwall	33.4	3.17	33.7	3.15	<u>33.5</u>	<u>3.17</u>						
140.bplustree	41.4	2.61	41.6	2.60	<u>41.5</u>	<u>2.60</u>						

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Platform Notes

```
Sysinfo program /HPG/accel/Docs/sysinfo
$Rev: 6965 $ $Date:: 2015-04-21 #$ c05a7f14b1b1765e3fe1df68447e8a35
running on harsper Mon May 27 14:51:17 2019
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/accel/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
model name : Intel(R) Xeon(R) Silver 4110 CPU @ 2.10GHz
1 "physical id"s (chips)
16 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
```

Continued on next page



SPEC ACCEL OCL Result

Copyright 2015-2019 Standard Performance Evaluation Corporation

Harsper Co.,LTD
NVIDIA GeForce GTX 1080
MG140-G1

SPECaccel_ocl_peak = Not Run

SPECaccel_ocl_base = 4.33

ACCEL license: HPG068A
Test sponsor: Harsper Co.,LTD
Tested by: Telecommunications Technology Association

Test date: May-2019
Hardware Availability: Nov 2018
Software Availability: Nov 2018

Platform Notes (Continued)

```
cpu cores : 8
siblings  : 16
physical 0: cores 0 1 2 3 4 5 6 7
cache size : 11264 KB
```

```
From /proc/meminfo
MemTotal:      65398344 kB
HugePages_Total: 0
Hugepagesize:  2048 kB
```

```
From /etc/*release* /etc/*version*
centos-release: CentOS Linux release 7.6.1810 (Core)
centos-release-upstream: Derived from Red Hat Enterprise Linux 7.6 (Source)
os-release:
NAME="CentOS Linux"
VERSION="7 (Core)"
ID="centos"
ID_LIKE="rhel fedora"
VERSION_ID="7"
PRETTY_NAME="CentOS Linux 7 (Core)"
ANSI_COLOR="0;31"
CPE_NAME="cpe:/o:centos:centos:7"
redhat-release: CentOS Linux release 7.6.1810 (Core)
system-release: CentOS Linux release 7.6.1810 (Core)
system-release-cpe: cpe:/o:centos:centos:7
```

```
uname -a:
Linux harsper 3.10.0-957.el7.x86_64 #1 SMP Thu Nov 8 23:39:32 UTC 2018 x86_64
x86_64 x86_64 GNU/Linux
```

```
run-level 3 May 14 12:57
```

```
SPEC is set to: /HPG/accel
Filesystem      Type  Size  Used Avail Use% Mounted on
/dev/mapper/centos-root xfs   50G   24G   27G   47% /
```

Additional information from dmidecode:

Warning: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

BIOS American Megatrends Inc. 2.0b 02/26/2018

Memory:

2x NO DIMM NO DIMM

4x Samsung M393A2K43BB1-CTD 16 GB 2 rank 2666 MT/s, configured at 2400 MT/s

(End of data from sysinfo program)



SPEC ACCEL OCL Result

Copyright 2015-2019 Standard Performance Evaluation Corporation

Harsper Co.,LTD
NVIDIA GeForce GTX 1080
MG140-G1

SPECaccel_ocl_peak = Not Run

SPECaccel_ocl_base = 4.33

ACCEL license: HPG068A
Test sponsor: Harsper Co.,LTD
Tested by: Telecommunications Technology Association

Test date: May-2019
Hardware Availability: Nov 2018
Software Availability: Nov 2018

Base Runtime Environment

C benchmarks:

OpenCL Platform: NVIDIA CUDA, OpenCL 1.2 CUDA 10.1.133
OpenCL Device #0: GeForce GTX 1080, v 418.56

C++ benchmarks:

OpenCL Platform: NVIDIA CUDA, OpenCL 1.2 CUDA 10.1.133
OpenCL Device #0: GeForce GTX 1080, v 418.56

Base Compiler Invocation

C benchmarks:

gcc

C++ benchmarks:

g++

Base Portability Flags

116.histo: -DSPEC_LOCAL_MEMORY_HEADROOM=2

Base Optimization Flags

C benchmarks:

-O2 -I/usr/local/cuda/include -L/usr/local/cuda/lib64 -lOpenCL

C++ benchmarks:

-O2 -I/usr/local/cuda/include -L/usr/local/cuda/lib64 -lOpenCL

The flags file that was used to format this result can be browsed at

https://www.spec.org/accel/flags/gcc_flags.20190605.html

You can also download the XML flags source by saving the following link:

https://www.spec.org/accel/flags/gcc_flags.20190605.xml



SPEC ACCEL OCL Result

Copyright 2015-2019 Standard Performance Evaluation Corporation

Harsper Co.,LTD
NVIDIA GeForce GTX 1080
MG140-G1

SPECaccel_ocl_peak = Not Run

SPECaccel_ocl_base = 4.33

ACCEL license: HPG068A
Test sponsor: Harsper Co.,LTD
Tested by: Telecommunications Technology Association

Test date: May-2019
Hardware Availability: Nov 2018
Software Availability: Nov 2018

SPEC ACCEL is a trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC ACCEL v1.2.
Report generated on Wed Jun 5 18:50:16 2019 by SPEC ACCEL PS/PDF formatter v1290.
Originally published on 5 June 2019.