



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

**Dell**  
Precision WorkStation 530 (2.6 GHz Xeon)

SPECfp\_rate2000 = 14.4  
SPECfp\_rate\_base2000 = 14.1

SPEC license #: 55 | Tested by: Dell, Round Rock, TX | Test date: Sep-2002 | Hardware Avail: Sep-2002 | Software Avail: Jun-2002

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	2	159	23.4	2	154	24.1
171.swim	2	467	15.4	2	467	15.4
172.mgrid	2	391	10.7	2	391	10.7
173.applu	2	389	12.5	2	368	13.2
177.mesa	2	145	22.4	2	144	22.6
178.galgel	2	358	18.8	2	359	18.8
179.art	2	864	6.98	2	864	6.98
183.quake	2	201	15.0	2	165	18.3
187.facerec	2	221	20.0	2	222	19.9
188.amp	2	568	8.98	2	567	9.00
189.lucas	2	296	15.7	2	295	15.7
191.fma3d	2	322	15.1	2	321	15.2
200.sixtrack	2	234	10.9	2	231	11.1
301.apsi	2	484	12.5	2	483	12.5

### Hardware

CPU: Intel Xeon (400 MHz system bus)  
CPU MHz: 2600  
FPU: Integrated  
CPU(s) enabled: 2 cores, 2 chips, 1 core/chip  
CPU(s) orderable: 1,2  
Parallel: No  
Primary Cache: 12K(I) micro-ops + 8KB(D) on chip  
Secondary Cache: 512KB(I+D) on chip  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 2 x 256MB PC800-45 ECC RDRAM  
Disk Subsystem: 1 x 18GB Fujitsu Limited 10K U160  
Other Hardware:

### Software

Operating System: Windows XP Professional  
Compiler: Intel C++ and Fortran Compiler 6.0 (020423Z)  
Microsoft Visual Studio .NET (7.0.9466)  
MicroQuill SmartHeap Library 6.01  
File System: NTFS  
System State: Default

## Notes/Tuning Information

```

PORTABILITY
 178.galgel: -FI -F32000000
FEEDBACK-DIRECTED OPTIMIZATION
FDO: PASS1= -Qprof_gen PASS2= -Qprof_use
BASE TUNING
C-F77-F90: -Qipo -QxW -O3 +FDO
PEAK TUNING
168.wupwise: -Qipo -QxW +FDO
171.swim: -Qipo -QxW -O3 +FDO
172.mgrid: -Qipo -QaxW -O3 +FDO
173.applu: -Qipo -QxW -O3 -Qscalar_rep- +FDO
177.mesa: -Qipo -QxW -O3 -Oa +FDO
178.galgel: -Qipo -QxW -O3 +FDO
179.art: -Qipo -QxW -O3 -Oa +FDO
183.quake: -Qipo -QxW -O3 -Oa +FDO shlW32M.lib
187.facerec: -Qipo -QxW -O3 +FDO
188.amp: -Qipo -QxW -O3 -Oa +FDO

```



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Dell  
Precision WorkStation 530 (2.6 GHz Xeon)

SPECfp\_rate2000 = 14.4

SPECfp\_rate\_base2000 = 14.1

SPEC license #: 55 | Tested by: Dell, Round Rock, TX | Test date: Sep-2002 | Hardware Avail: Sep-2002 | Software Avail: Jun-2002

## Notes/Tuning Information (Continued)

189.lucas: -Qipo -QaxW  
191.fma3d: -Qipo -QxW -O3 +FDO  
200.sixtrack: -Qipo -QxW +FDO  
301.apsi: -Qipo -QxW +FDO  
EXTRA LIBRARIES  
shlw32M.lib: MicroQuill SmartHeap Library 6.01  
www.microquill.com