



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

**Bull
NovaScale 5160 (1500MHz)**

SPECfp_rate2000 = 215

SPECfp_rate_base2000 = 213

SPEC license #: 20 | Tested by: JFL | Test date: Jul-2003 | Hardware Avail: Sep-2003 | Software Avail: Sep-2003

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	16	157	189	16	157	189
171.swim	16	329	175	16	329	175
172.mgrid	16	282	118	16	281	119
173.applu	16	121	321	16	121	321
177.mesa	16	130	200	16	130	200
178.galgel	16	88.9	605	16	88.9	605
179.art	16	64.5	748	16	64.5	748
183.equake	16	162	149	16	162	149
187.facerec	16	170	207	16	170	207
188.amp	16	215	190	16	215	190
189.lucas	16	316	117	16	316	117
191.fma3d	16	304	128	16	304	128
200.sixtrack	16	78.5	260	16	78.5	260
301.apsi	16	312	155	16	289	167

Hardware

CPU: Itanium 2 processor 1500 MHz
 CPU MHz: 1500
 FPU: Integrated
 CPU(s) enabled: 16 cores, 16 chips, 1 core/chip
 CPU(s) orderable: 4 to 16
 Parallel: No
 Primary Cache: 16KBI + 16KBD on chip
 Secondary Cache: 256KB(I+D) on chip
 L3 Cache: 6MB (I+D) off chip
 Other Cache: N/A
 Memory: 64 GB (4 * 16 * 1GB DIMMs)
 Disk Subsystem: 1 SJ0812 Disk drawer with
 2 15krpm 36GB SCSI disks
 Other Hardware:

Software

Operating System: Linux 64 bit : Red Hat Advanced Server 2.1 + Bull expansion Pack
 Compiler: Intel(R) Fortran Compiler for Linux 7.1 (Build 20030605)
 Intel(R) C++ Compiler for Linux 7.1 (Build 20030605)
 File System: ext2
 System State: Multi User

Notes/Tuning Information

+FDO: PASS1=-prof_gen PASS2=-prof_use

Baseline optimization flags:

C programs: -ipo -O3 +FDO -ansi_alias
 Fortran programs: -ipo -O3 +FDO

Portability Flags:

178.galgel: -FI

Peak optimization flags:

168.wupwise: basepeak=yes
 171.swim: basepeak=yes
 172.mgrid: -O3 -ipo
 173.applu: basepeak=yes
 177.mesa: basepeak=yes
 178.galgel: basepeak=yes



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Bull
NovaScale 5160 (1500MHz)

SPECfp_rate2000 = 215
SPECfp_rate_base2000 = 213

SPEC license #: 20 | Tested by: JFL | Test date: Jul-2003 | Hardware Avail: Sep-2003 | Software Avail: Sep-2003

Notes/Tuning Information (Continued)

179.art: basepeak=yes
183.quake: basepeak=yes
187.facerec: basepeak=yes
188.amp: basepeak=yes
189.lucas: -O3 -ipo
191.fma3d: basepeak=yes
200.sixtrack: basepeak=yes
301.apsi: -O3 -ipo