



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant BL460c (1.60 GHz, Intel Xeon processor 5110)

SPECint2000 = 1711
SPECint_base2000 = 1705

SPEC license #: 3 Tested by: Hewlett-Packard Company Test date: Aug-2006 Hardware Avail: Jun-2006 Software Avail: May-2006

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
164.gzip	1400	141	996	141	995	
175.vpr	1400	112	1248	108	1296	
176.gcc	1100	56.4	1949	56.4	1949	
181.mcf	1800	65.0	2768	65.1	2767	
186.crafty	1000	68.1	1469	68.2	1467	
197.parser	1800	134	1341	134	1346	
252.eon	1300	62.1	2093	62.3	2086	
253.perlbmk	1800	92.7	1942	92.0	1956	
254.gap	1100	65.5	1680	65.5	1679	
255.vortex	1900	65.7	2891	65.6	2895	
256.bzip2	1500	119	1260	119	1260	
300.twolf	3000	164	1830	164	1831	

Hardware

CPU: Intel Xeon processor 5110 (1.60 GHz, 4 MB L2 shared, 1066 MHz bus)
CPU MHz: 1600
FPU: Integrated
CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip
CPU(s) orderable: 1,2 chips
Parallel: No
Primary Cache: 32 KB I + 32 KB D on chip per core
Secondary Cache: 4 MB I+D on chip per chip
L3 Cache: N/A
Other Cache: N/A
Memory: 16 GB (8x2048 MB PC2-5300F)
Disk Subsystem: 2x36 GB 10 K SAS
Other Hardware:

Software

Operating System: Windows Server 2003 Enterprise SP1
Compiler: Intel C++ Compiler for 32-bit applications, (Version 9.1 Build 20060323Z)
Microsoft Visual Studio .NET 7.0.9466 (for libraries)
MicroQuill Smartheap Library 7.0
File System: NTFS
System State: Default

Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -fast +FDO ONESTEP=yes shlw32M.lib
Base tuning for C++ programs: -fast -Qcxx_features +FDO ONESTEP=yes
Portability flags:
 176.gcc: -Dalloca=_alloca /F10000000
 186.crafty: -DNT_i386
 253.perlbmk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
 254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
Peak tuning:
 164.gzip: -fast +FDO ONESTEP=yes
 175.vpr: -fast +FDO ONESTEP=yes
 176.gcc: basepeak=1
 181.mcf: -fast +FDO ONESTEP=yes shlw32M.lib
 186.crafty: -fast -Oa +FDO ONESTEP=yes shlw32M.lib
 197.parser: -fast +FDO ONESTEP=yes
 252.eon: -fast +FDO
 253.perlbmk: -fast -Oa +FDO ONESTEP=yes shlw32M.lib
 254.gap: -fast +FDO ONESTEP=yes
 255.vortex: -fast +FDO ONESTEP=yes shlw32M.lib
 256.bzip2: basepeak=1
```



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant BL460c (1.60 GHz, Intel Xeon processor 5110)

SPECint2000 =	1711
SPECint_base2000 =	1705

SPEC license #:	3	Tested by:	Hewlett-Packard Company	Test date:	Aug-2006	Hardware Avail:	Jun-2006	Software Avail:	May-2006
-----------------	---	------------	-------------------------	------------	----------	-----------------	----------	-----------------	----------

Notes/Tuning Information (Continued)

300.twolf: -fast +FDO shlw32M.lib
BIOS Configuration Notes
Power Regulator set to Static High Performance Mode