



SPEC[®] CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint[®]_rate2006 = Not Run

PowerEdge 2970 (AMD Opteron 2222 SE, 3.00GHz)

SPECint_rate_base2006 = 48.5

CPU2006 license: 55


Test date: Mar-2007

Test sponsor: Dell Inc.

Hardware Availability: Apr-2007

Tested by: Dell Inc.

Software Availability: Aug-2006



Hardware

CPU Name: AMD Opteron 2222 SE
 CPU Characteristics: 3000
 CPU MHz: Integrated
 FPU: 4 cores, 2 chips, 2 cores/chip
 CPU(s) enabled: 1,2 chips
 CPU(s) orderable: 64 KB I + 64 KB D on chip per core
 Primary Cache: 1 MB I+D on chip per core
 Secondary Cache: None
 L3 Cache: None
 Other Cache: None
 Memory: 16 GB (8x2GB, DDR2-667 CL5 ECC Dual Rank)
 Disk Subsystem: SAS, 73 GB
 Other Hardware: None

Software

Operating System: SuSE Linux Enterprise Server 10 64-bit kernel
 Compiler: QLogic PathScale Compiler Suite, Release 2.5
 Auto Parallel: No
 File System: ReiserFS
 System State: Multi-user, run level 3
 Base Pointers: 32/64-bit
 Peak Pointers: Not Applicable
 Other Software: SmartHeap 8.0 32 bit Library for Linux



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint_rate2006 = Not Run

PowerEdge 2970 (AMD Opteron 2222 SE, 3.00GHz)

SPECint_rate_base2006 = 48.5

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Mar-2007
Hardware Availability: Apr-2007
Software Availability: Aug-2006

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	4	741	52.7	740	52.8	740	52.8							
401.bzip2	4	966	40.0	966	40.0	968	39.9							
403.gcc	4	872	36.9	871	37.0	870	37.0							
429.mcf	4	1278	28.6	1279	28.5	1278	28.6							
445.gobmk	4	702	59.7	703	59.7	703	59.7							
456.hmmer	4	666	56.1	663	56.3	665	56.1							
458.sjeng	4	889	54.4	887	54.6	889	54.5							
462.libquantum	4	1532	54.1	1534	54.0	1542	53.7							
464.h264ref	4	1002	88.3	1015	87.2	1016	87.1							
471.omnetpp	4	667	37.5	674	37.1	674	37.1							
473.astar	4	716	39.2	717	39.1	717	39.2							
483.xalancbmk	4	457	60.5	457	60.4	456	60.5							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

Taskset utility used to bind CPU(s) to processes
Binaries were built on SuSE Linux Enterprise Server 9 SP3 64-bit

Base Compiler Invocation

C benchmarks:
pathcc

C++ benchmarks:
pathCC

Base Portability Flags

```

400.perlbench: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX_X64
401.bzip2: -DSPEC_CPU_LP64
403.gcc: -DSPEC_CPU_LP64
429.mcf: -DSPEC_CPU_LP64
445.gobmk: -DSPEC_CPU_LP64
456.hmmer: -DSPEC_CPU_LP64
458.sjeng: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX
464.h264ref: -DSPEC_CPU_LP64
483.xalancbmk: -DSPEC_CPU_LINUX

```



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint_rate2006 = Not Run

PowerEdge 2970 (AMD Opteron 2222 SE, 3.00GHz)

SPECint_rate_base2006 = 48.5

CPU2006 license: 55

Test date: Mar-2007

Test sponsor: Dell Inc.

Hardware Availability: Apr-2007

Tested by: Dell Inc.

Software Availability: Aug-2006

Base Optimization Flags

C benchmarks:

-Ofast

C++ benchmarks:

-Ofast -m32

-L/spec/mpaton/6v1.0/amd512K8.lib/microquill/lib -lsmartheap

Base Other Flags

C benchmarks:

-IPA:max_jobs=2

C++ benchmarks:

-IPA:max_jobs=2

The flags file that was used to format this result can be browsed at

http://www.spec.org/cpu2006/flags/CPU2006_flags.20090714.25.html

You can also download the XML flags source by saving the following link:

http://www.spec.org/cpu2006/flags/CPU2006_flags.20090714.25.xml

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.

Report generated on Tue Jul 22 11:54:09 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 3 April 2007.