



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge 2950 (Intel Xeon processor E5335, 2.00 GHz)

SPECint®_rate2006 = Not Run

SPECint_rate_base2006 = 68.8

CPU2006 license: 55


Test sponsor: Dell Inc.

Tested by: Dell Inc.

Test date: Mar-2007

Hardware Availability: Dec-2006

Software Availability: Nov-2006



Hardware

CPU Name: Intel Xeon E5335
 CPU Characteristics: 1333 MHz Bus Speed
 CPU MHz: 2000
 FPU: Integrated
 CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip
 CPU(s) orderable: 1,2 chips
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 8 MB I+D on chip per chip, 4 MB shared / 2 cores
 L3 Cache: None
 Other Cache: None
 Memory: 16 GB (8 x 2 GB 667MHz CL5 DDR2 FB-DIMM SDRAM)
 Disk Subsystem: 1 x 73 GB SAS 15k RPM
 Other Hardware: None

Software

Operating System: Microsoft Windows Server 2003 Enterprise x64 Edition + SP1 (64-bit)
 Compiler: Intel C++ Compiler 9.1 for IA32 (20061103Z) / Microsoft Visual Studio 2005
 Auto Parallel: No
 File System: NTFS
 System State: Default
 Base Pointers: 32-bit
 Peak Pointers: Not Applicable
 Other Software: MicroQuill SmartHeap Library 8.0



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint_rate2006 = Not Run

PowerEdge 2950 (Intel Xeon processor E5335, 2.00 GHz)

SPECint_rate_base2006 = 68.8

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Mar-2007
Hardware Availability: Dec-2006
Software Availability: Nov-2006

Results Table

Benchmark	Base						Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	8	708	110	708	110	710	110							
401.bzip2	8	1227	62.9	1224	63.1	1225	63.0							
403.gcc	8	2027	31.8	1963	32.8	2021	31.9							
429.mcf	8	1119	65.2	1117	65.3	1116	65.4							
445.gobmk	8	833	101	833	101	833	101							
456.hammer	8	1158	64.4	1159	64.4	1159	64.4							
458.sjeng	8	996	97.2	996	97.2	997	97.1							
462.libquantum	8	5722	29.0	5723	29.0	5719	29.0							
464.h264ref	8	1081	164	1080	164	1081	164							
471.omnetpp	8	937	53.3	938	53.3	940	53.2							
473.astar	8	968	58.0	968	58.0	969	58.0							
483.xalancbmk	8	662	83.3	662	83.4	663	83.3							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Platform Notes

Hardware Prefetcher disabled in BIOS
Adjacent Cache Line Prefetch disabled in BIOS

Base Compiler Invocation

C benchmarks:
icl -Qc99

C++ benchmarks:
icl

Base Portability Flags

403.gcc: -DSPEC_CPU_WIN32
464.h264ref: -DSPEC_CPU_NO_INTTYPES -DWIN32
483.xalancbmk: -Qoption, cpp, --no_wchar_t_keyword

Base Optimization Flags

C benchmarks:
-fast /F512000000 shlw32M.lib -link /FORCE:MULTIPLE

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint_rate2006 = Not Run

PowerEdge 2950 (Intel Xeon processor E5335, 2.00 GHz)

SPECint_rate_base2006 = 68.8

CPU2006 license: 55

Test date: Mar-2007

Test sponsor: Dell Inc.

Hardware Availability: Dec-2006

Tested by: Dell Inc.

Software Availability: Nov-2006

Base Optimization Flags (Continued)

C++ benchmarks:

```
-fast -Qcxx_features /F512000000 shlW32M.lib
-link /FORCE:MULTIPLE
```

Base Other Flags

C benchmarks:

```
403 gcc: -Dalloca=_alloca
```

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/dell.cpu2006.ic91.flags.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/dell.cpu2006.ic91.flags.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 22 12:04:30 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 17 April 2007.