



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint®_rate2006 = Not Run

PowerEdge 6950 (AMD Opteron 8222 SE, 3.00GHz)

SPECint_rate_base2006 = 95.6

CPU2006 license: 55


Test date: Apr-2007

Test sponsor: Dell Inc.

Hardware Availability: Apr-2007

Tested by: Dell Inc.

Software Availability: Feb-2007



Hardware

CPU Name: AMD Opteron 8222 SE
 CPU Characteristics:
 CPU MHz: 3000
 FPU: Integrated
 CPU(s) enabled: 8 cores, 4 chips, 2 cores/chip
 CPU(s) orderable: 2,4 chips
 Primary Cache: 64 KB I + 64 KB D on chip per core
 Secondary Cache: 1 MB I+D on chip per core
 L3 Cache: None
 Other Cache: None
 Memory: 32 GB (16x2GB, DDR2-667 CL5 ECC Dual Rank)
 Disk Subsystem: SAS, 73 GB
 Other Hardware: None

Software

Operating System: SuSE Linux Enterprise Server 10 64-bit kernel
 Compiler: QLogic PathScale Compiler Suite, Release 3.0
 Auto Parallel: No
 File System: ReiserFS
 System State: Multi-user, run level 3
 Base Pointers: 32/64-bit
 Peak Pointers: Not Applicable
 Other Software: SmartHeap 8.0 32 bit Library for Linux



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint_rate2006 = Not Run

PowerEdge 6950 (AMD Opteron 8222 SE, 3.00GHz)

SPECint_rate_base2006 = 95.6

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Apr-2007
Hardware Availability: Apr-2007
Software Availability: Feb-2007

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	8	746	105	737	106	740	106							
401.bzip2	8	976	79.1	<u>979</u>	<u>78.8</u>	980	78.8							
403.gcc	8	976	66.0	<u>978</u>	<u>65.9</u>	988	65.2							
429.mcf	8	997	73.2	1017	71.7	1014	72.0							
445.gobmk	8	703	119	703	119	704	119							
456.hmmmer	8	632	118	637	117	638	117							
458.sjeng	8	889	109	884	110	883	110							
462.libquantum	8	1812	91.5	1796	92.3	1797	92.3							
464.h264ref	8	1022	173	1019	174	1022	173							
471.omnetpp	8	720	69.5	<u>719</u>	<u>69.5</u>	716	69.8							
473.astar	8	735	76.4	735	76.4	739	76.0							
483.xalanbmk	8	485	114	489	113	490	113							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

Taskset utility used to bind cores to processes

Base Compiler Invocation

C benchmarks:
pathcc

C++ benchmarks:
pathCC

Base Portability Flags

```

400.perlbench: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX_X64
401.bzip2: -DSPEC_CPU_LP64
403.gcc: -DSPEC_CPU_LP64
429.mcf: -DSPEC_CPU_LP64
445.gobmk: -DSPEC_CPU_LP64
456.hmmmer: -DSPEC_CPU_LP64
458.sjeng: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX
464.h264ref: -DSPEC_CPU_LP64
483.xalanbmk: -DSPEC_CPU_LINUX

```



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint_rate2006 = Not Run

PowerEdge 6950 (AMD Opteron 8222 SE, 3.00GHz)

SPECint_rate_base2006 = 95.6

CPU2006 license: 55

Test date: Apr-2007

Test sponsor: Dell Inc.

Hardware Availability: Apr-2007

Tested by: Dell Inc.

Software Availability: Feb-2007

Base Optimization Flags

C benchmarks:

-Ofast -OPT:malloc_alg=1

C++ benchmarks:

-Ofast -m32 -L/cpu2006/mpaton/1.0/amd514K8.lib/32 -lsmartheap

The flags file that was used to format this result can be browsed at

http://www.spec.org/cpu2006/flags/CPU2006_flags.20090714.html

You can also download the XML flags source by saving the following link:

http://www.spec.org/cpu2006/flags/CPU2006_flags.20090714.xml

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 22 12:16:28 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 15 May 2007.