



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## ACTION S.A.

ACTINA SOLAR 202 X2 (Intel Xeon processor E5310, 1.60GHz)

**SPECint®\_rate2006 = 33.3**

**SPECint\_rate\_base2006 = 30.8**

CPU2006 license: 3388


Test sponsor: ACTION S.A.

Tested by: ACTION S.A.

Test date: Sep-2007

Hardware Availability: Aug-2007

Software Availability: Jun-2007



### Hardware

CPU Name: Intel Xeon E5310  
 CPU Characteristics: 1066 MHz system bus  
 CPU MHz: 1600  
 FPU: Integrated  
 CPU(s) enabled: 4 cores, 1 chip, 4 cores/chip  
 CPU(s) orderable: 1,2 chips  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 8 MB I+D on chip per chip, 4 MB shared / 2 cores  
 L3 Cache: None  
 Other Cache: None  
 Memory: 8 GB (8 x 1 GB 667MHz CL5 DDR2 FB-DIMM SDRAM)  
 Disk Subsystem: 160 GB SATA, 7200rpm  
 Other Hardware: None

### Software

Operating System: Windows 2003 Server Enterprise Edition Service Pack 1  
 Compiler: Intel C++ Compiler for IA32 version 10.0 Build 20070426 Package ID: W\_CC\_P\_10.0.025 Microsoft Visual Studio .Net 2003 (for libraries)  
 Auto Parallel: No  
 File System: NTFS  
 System State: Default  
 Base Pointers: 32-bit  
 Peak Pointers: 32-bit  
 Other Software: SmartHeap Library Version 8.0



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## ACTION S.A.

ACTINA SOLAR 202 X2 (Intel Xeon processor E5310, 1.60GHz)

SPECint\_rate2006 = 33.3

SPECint\_rate\_base2006 = 30.8

CPU2006 license: 3388  
Test sponsor: ACTION S.A.  
Tested by: ACTION S.A.

Test date: Sep-2007  
Hardware Availability: Aug-2007  
Software Availability: Jun-2007

## Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	4	<b>886</b>	<b>44.1</b>	886	44.1	885	44.1	4	<b>773</b>	<b>50.6</b>	773	50.6	776	50.4
401.bzip2	4	<b>1457</b>	<b>26.5</b>	1458	26.5	1454	26.6	4	1413	27.3	1410	27.4	<b>1413</b>	<b>27.3</b>
403.gcc	4	2306	14.0	<b>2317</b>	<b>13.9</b>	2346	13.7	4	1547	20.8	<b>1549</b>	<b>20.8</b>	1575	20.4
429.mcf	4	1245	29.3	1247	29.3	<b>1245</b>	<b>29.3</b>	4	1245	29.3	1247	29.3	<b>1245</b>	<b>29.3</b>
445.gobmk	4	<b>1011</b>	<b>41.5</b>	1009	41.6	1018	41.2	4	<b>919</b>	<b>45.6</b>	919	45.7	926	45.3
456.hammer	4	1117	33.4	1118	33.4	<b>1117</b>	<b>33.4</b>	4	1105	33.8	1105	33.8	<b>1105</b>	<b>33.8</b>
458.sjeng	4	<b>1284</b>	<b>37.7</b>	1284	37.7	1284	37.7	4	1151	42.1	<b>1151</b>	<b>42.1</b>	1151	42.1
462.libquantum	4	3544	23.4	<b>3544</b>	<b>23.4</b>	3544	23.4	4	3489	23.8	3497	23.7	<b>3496</b>	<b>23.7</b>
464.h264ref	4	<b>1380</b>	<b>64.2</b>	1380	64.1	1379	64.2	4	1303	67.9	1306	67.8	<b>1304</b>	<b>67.9</b>
471.omnetpp	4	1218	20.5	1218	20.5	<b>1218</b>	<b>20.5</b>	4	<b>1191</b>	<b>21.0</b>	1191	21.0	1192	21.0
473.astar	4	<b>1158</b>	<b>24.2</b>	1159	24.2	1158	24.2	4	1101	25.5	<b>1101</b>	<b>25.5</b>	1101	25.5
483.xalancbmk	4	710	38.9	710	38.9	<b>710</b>	<b>38.9</b>	4	702	39.3	703	39.3	<b>703</b>	<b>39.3</b>

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## General Notes

Product description located as of 8/2007:  
<http://www.actina.pl>  
Binaries were built on Windows XP Professional SP2  
  
Start command was used to bind processes to CPUs

## Base Compiler Invocation

C benchmarks:  
icl -Qvc7.1 -Qc99  
  
C++ benchmarks:  
icl -Qvc7.1

## Base Portability Flags

403.gcc: -DSPEC\_CPU\_WIN32  
464.h264ref: -DSPEC\_CPU\_NO\_INTTYPES -DWIN32



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**ACTION S.A.**

**SPECint\_rate2006 = 33.3**

ACTINA SOLAR 202 X2 (Intel Xeon processor E5310, 1.60GHz)

**SPECint\_rate\_base2006 = 30.8**

**CPU2006 license:** 3388

**Test date:** Sep-2007

**Test sponsor:** ACTION S.A.

**Hardware Availability:** Aug-2007

**Tested by:** ACTION S.A.

**Software Availability:** Jun-2007

## Base Optimization Flags

C benchmarks:

`-fast /F512000000 shlw32m.lib -link /FORCE:MULTIPLE`

C++ benchmarks:

`-fast -Qcxx_features /F512000000 shlw32m.lib  
-link /FORCE:MULTIPLE`

## Base Other Flags

C benchmarks:

`403.gcc: -Dalloca=_alloca`

## Peak Compiler Invocation

C benchmarks:

`icl -Qvc7.1 -Qc99`

C++ benchmarks:

`icl -Qvc7.1`

## Peak Portability Flags

`403.gcc: -DSPEC_CPU_WIN32  
464.h264ref: -DSPEC_CPU_NO_INTTYPES -DWIN32`

## Peak Optimization Flags

C benchmarks:

`400.perlbench: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias  
-Qprefetch /F512000000 shlw32m.lib  
-link /FORCE:MULTIPLE`

`401.bzip2: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast /F512000000  
shlw32m.lib -link /FORCE:MULTIPLE`

`403.gcc: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast /F512000000  
-link /FORCE:MULTIPLE`

`429.mcf: basepeak = yes`

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## ACTION S.A.

**SPECint\_rate2006 = 33.3**

ACTINA SOLAR 202 X2 (Intel Xeon processor E5310, 1.60GHz)

**SPECint\_rate\_base2006 = 30.8**

**CPU2006 license:** 3388

**Test date:** Sep-2007

**Test sponsor:** ACTION S.A.

**Hardware Availability:** Aug-2007

**Tested by:** ACTION S.A.

**Software Availability:** Jun-2007

## Peak Optimization Flags (Continued)

445.gobmk: -Qprof\_gen(pass 1) -Qprof\_use(pass 2) -QxT -O2 -Qipo  
-Qprec\_div- -Qansi-alias /F512000000  
-link /FORCE:MULTIPLE

456.hmmer: -Qprof\_gen(pass 1) -Qprof\_use(pass 2) -fast -Qunroll2  
-Qansi-alias /F512000000 shlw32m.lib  
-link /FORCE:MULTIPLE

458.sjeng: -Qprof\_gen(pass 1) -Qprof\_use(pass 2) -fast -Qunroll4  
/F512000000 shlw32m.lib -link /FORCE:MULTIPLE

462.libquantum: -Qprof\_gen(pass 1) -Qprof\_use(pass 2) -fast -Qunroll4  
-Ob0 -Qprefetch -Qopt-streaming-stores:always /F512000000  
shlw32m.lib -link /FORCE:MULTIPLE

464.h264ref: Same as 456.hmmer

C++ benchmarks:

-Qprof\_gen(pass 1) -Qprof\_use(pass 2) -fast -Qansi-alias  
-Qcxx\_features /F512000000 shlw32m.lib  
-link /FORCE:MULTIPLE

## Peak Other Flags

C benchmarks:

403.gcc: -Dalloca=\_alloca

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Dell-Intel-ic10-ia32.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Dell-Intel-ic10-ia32.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.0.1.

Report generated on Tue Jul 22 14:52:32 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 16 October 2007.