



OMPM2001 Result

Copyright ©1999-2008, Standard Performance Evaluation Corporation

IBM Corporation

IBM BladeCenter JS12 Express (3.8 GHz, 2 core, Red Hat)

SPECompMpeak2001 = 12885

SPECompMbase2001 = 12086

SPEC license #HPG0005 | Tested by: IBM | Test site: Austin, TX | Test date: Feb-2008 | Hardware Avail: May-2008 | Software Avail: Nov-2007

Benchmark	Reference Time	Base Runtime	Base Ratio	Peak Runtime	Peak Ratio
310.wupwise_m	6000	397	15119	389	15429
312.swim_m	6000	480	12496	476	12602
314.mgrid_m	7300	663	11005	663	11010
316.applu_m	4000	369	10838	327	12220
318.galgel_m	5100	339	15031	323	15791
320.quake_m	2600	152	17099	143	18208
324.apsi_m	3400	320	10635	320	10635
326.gafort_m	8700	799	10893	778	11180
328.fma3d_m	4600	677	6794	671	6858
330.art_m	6400	246	26068	170	37756
332.ammp_m	7000	1035	6762	997	7021

Hardware

CPU: POWER6
 CPU MHz: 3800
 FPU: Integrated
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip, 2 threads/core
 CPU(s) orderable: 2 cores
 Primary Cache: 64 KB I + 64 KB D on chip per core
 Secondary Cache: 4 MB I+D on chip per core
 L3 Cache: None
 Other Cache: None
 Memory: 32 GB (8x4 GB)
 Disk Subsystem: 1x73 GB SAS 15K RPM
 Other Hardware: None

Software

OpenMP Threads: 4
 Parallel: OpenMP
 Operating System: Red Hat Enterprise Linux Advanced Platform 5.1 for IBM POWER
 Compiler: IBM XL C/C++ Advanced Edition for Linux, V9.0
 IBM XL Fortran Advanced Edition for Linux, V11.1
 Other Software: IBM Engineering and Scientific Subroutine Library for Linux on POWER, Version 4.3
 File System: ext3
 System State: Multi-User

Notes/Tuning Information

Portability Flags Variables

-qfixed used in: 310.wupwise_m, 312.swim_m, 314.mgrid_m, 316.applu_m, 324.apsi_m
 -qfixed=80 used in: 318.galgel_m
 -qsuffix=f=f90 used in: 318.galgel_m 326.gafort_m, 328.fma3d_m

Base Flags

C: -O5 -q32 -qsmp=omp
 FORTRAN: -O5 -q32 -qsmp=omp

Base & Peak Environment Flags:

ENV_OMP_NUM_THREADS = 4
 ENV_OMP_DYNAMIC=FALSE
 ENV_XLSMPOPTS=SPINS=0:YIELDS=0:STACK=8000000:STARTPROC=0:STRIDE=1
 ENV_XLFRTEOPTS=intrinthds=1

Peak sources:

SPEC OMPL2001 source for 32bit systems modified for SPEC OMPM2001 used with 312.swim_m, 316.applu_m, 320.quake_m, 326.gafort_m

Peak Flags

-qsmp=omp used in all cases



OMPM2001 Result

Copyright ©1999-2008, Standard Performance Evaluation Corporation

IBM Corporation

IBM BladeCenter JS12 Express (3.8 GHz, 2 core, Red Hat)

SPECompMpeak2001 = 12885

SPECompMbase2001 = 12086

SPEC license #HPG0005 | Tested by: IBM | Test site: Austin, TX | Test date: Feb-2008 | Hardware Avail: May-2008 | Software Avail: Nov-2007

Notes/Tuning Information (Continued)

```

310.wupwise:      -O5 -q32
                  -B/usr/share/libhugetlbfs/ -t1 -Wl,--hugetlbfs-link=BDT
312.swim_m:       -O4 -q32
314.mgrid_m:      -O3 -q64
316.applu_m:      -O4 -q64
318.galgel_m:     -O5 -q64 -qessl
                  -B/usr/share/libhugetlbfs/ -t1 -Wl,--hugetlbfs-link=BDT
                  EXTRA_LIBS=-lesslsm
                  ENV_HUGETLB_MORECORE=yes
320.equake_m:     -O5 -q64 -qpdf1/pdf2 -qhot=arraypad -Q
                  ENV_HUGETLB_MORECORE=yes
                  ENV_LD_PRELOAD=libhugetlbfs.so
324.apsi_m:       basepeak = 1
326.gafort_m:     -O4 -q32
328.fma3d_m:      -O5 -q64 -qhot=arraypad
330.art_m:        -O3 -q32 -qhot=arraypad -Q
                  ENV_HUGETLB_MORECORE=yes
                  ENV_LD_PRELOAD=libhugetlbfs.so
332.ampm_m:       -O5 -q64 -qhot=arraypad -Q
                  ENV_HUGETLB_MORECORE=yes
                  ENV_LD_PRELOAD=libhugetlbfs.so

```

```

C:                IBM XL C for Linux invoked as xlc_r
Fortran 90:       IBM XL Fortran for Linux invoked as xlf90_r

```

kernel release 2.6.18-53.el5.

ulimit -s (stack) set to unlimited.

System set to Enhanced mode when defining partition on HMC

Large pages reserved as follows by root user:

```
echo 240 > /proc/sys/vm/nr_hugepages
```

System configured with libhugetlbfs library for application access to large pages

Use flags-description file IBM-20080408-Linux.txt