



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation
Intel VC820 (667 MHz Pentium III)

SPECfp2000 = 233
SPECfp_base2000 = 222

SPEC license #: 13 Tested by: Intel Corporation Test date: Mar-2000 Hardware Avail: Nov-1999 Software Avail: Feb-2000

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
168.wupwise	1600	629	254	602	266	
171.swim	3100	854	363	856	362	
172.mgrid	1800	933	193	933	193	
173.applu	2100	1121	187	1095	192	
177.mesa	1400	527	265	527	266	
178.galgel	2900	1173	247	1087	267	
179.art	2600	885	294	903	288	
183.quake	1300	630	206	501	260	
187.facerec	1900	1087	175	982	194	
188.amp	2200	933	236	933	236	
189.lucas	2000	846	236	846	236	
191.fma3d	2100	1032	203	960	219	
200.sixtrack	1100	994	111	935	118	
301.apsi	2600	1051	247	1005	259	

Hardware

CPU: 667 MHz Pentium III processor
CPU MHz: 667
FPU: Integrated
CPU(s) enabled: 1 core, 1 chip, 1 core/chip
CPU(s) orderable: 1
Parallel: No
Primary Cache: 16KBI + 16KBD on-die
Secondary Cache: 256KB(I+D) on-die ECC
L3 Cache: N/A
Other Cache: N/A
Memory: 256 MB PC800 RDRAM non-ECC
Disk Subsystem: IBM DJNA 371800 ATA-66
Other Hardware: Diamond Multimedia Viper 770 Ultra TNT2 AGP

Software

Operating System: Windows 2000 (Build 2195)
Compiler: Intel C and Fortran Compiler 4.5 for Windows 2000
Microsoft Visual C++ 6.0 C libraries, SmartHeap library
File System: FAT32
System State: Default

Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning: -QaxK -Qipo_wp -O3 +FDO
Portability:
178.galgel: -FI -Fe$@ -link -stack:32000000
Peak tuning:
168.wupwise: -Qipo_wp -QxK +FDO
171.swim: -Qipo_wp -QaxK -O3 +FDO
172.mgrid: -Qipo_wp -QaxK -O3 +FDO
173.applu: -Qipo_wp -QxK +FDO
177.mesa: -Qipo_wp -QaxK -O3 +FDO shlW32M.lib
178.galgel: -Qipo_wp -QxK -O3 +FDO -Zi shlW32M.lib
179.art: -Qipo_wp -QxK +FDO shlW32M.lib
183.quake: -QxK -Qrcd -Ow -Qipo_wp +FDO shlW32M.lib
187.facerec: -Qipo_wp -QxK -O3 +FDO -Zi shlW32M.lib
188.amp: -Qipo_wp -QaxK -O3 +FDO shlW32M.lib
189.lucas: -Qipo_wp -QxK -O3 +FDO -Zi shlW32M.lib
191.fma3d: -QxK -O1 +FDO
```



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation	SPECfp2000 =	233
Intel VC820 (667 MHz Pentium III)	SPECfp_base2000 =	222

SPEC license #: 13 | Tested by: Intel Corporation | Test date: Mar-2000 | Hardware Avail: Nov-1999 | Software Avail: Feb-2000

Notes/Tuning Information (Continued)

200.sixtrack: -Qipo_wp -QxK +FDO

Tested systems can be used with Shin-G ATX case, Sparkle Inc., power supply

Product description located as of 03/2000:

http://developer.intel.com/design/motherbd/vc/vc_ds.htm

Motherboard is available through Intel OEM Distribution Channel. See

<http://channel.intel.com/> for more information

The system bus runs at 133 MHz