



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Advanced Micro Devices

Tyan Thunder K7 Motherboard, AMD Athlon (TM) MP 1500+

SPECint_rate2000 = 12.1

SPECint_rate_base2000 = 11.8

SPEC license #: 49 | Tested by: AMD Austin TX | Test date: Sep-2001 | Hardware Avail: Oct-2001 | Software Avail: Jul-2001

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	2	213	15.3	2	220	14.8
175.vpr	2	459	7.07	2	426	7.63
176.gcc	2	331	7.72	2	299	8.54
181.mcf	2	879	4.75	2	881	4.74
186.crafty	2	130	17.9	2	129	17.9
197.parser	2	389	10.7	2	388	10.8
252.eon	2	122	24.8	2	110	27.4
253.perlbnk	2	228	18.3	2	228	18.3
254.gap	2	190	13.5	2	189	13.5
255.vortex	2	239	18.4	2	237	18.6
256.bzip2	2	370	9.41	2	355	9.81
300.twolf	2	772	9.01	2	761	9.15

Hardware

CPU: AMD Athlon (TM) MP 1500+
 CPU MHz: 1333
 FPU: Integrated
 CPU(s) enabled: 2 cores, 2 chips, 1 core/chip
 CPU(s) orderable: 1, 2
 Parallel: No
 Primary Cache: 64KBI + 64KBD on chip
 Secondary Cache: 256KB(I+D) on chip
 L3 Cache: N/A
 Other Cache: N/A
 Memory: 2x256MB PC2100 DDR SDRAM CL2 Registered
 Disk Subsystem: IBM DPTA-372020
 Other Hardware: None

Software

Operating System: Windows 2000 SP2
 Compiler: Intel C/C++ 5.0.1 build 010525Z
 Microsoft Visual Studio 6.0 SP5 (libraries)
 MicroQuill SmartHeap Library 5.0
 File System: FAT32
 System State: Default

Notes/Tuning Information

shlw32M.lib is the SmartHeap library V5.0 from MicroQuill www.microquill.com

+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

Portability:

176.gcc: -Dalloca=_alloca /F10000000

186.crafty: -DNT_i386

253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT

254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO

Baseline C: -QxK -Qipo +FDO shlw32M.lib

Baseline C++: -QxK -Qipo -GX -GR

Peak tuning:

164.gzip: -O3 -QxK -Qwp_ipo -Oi- +FDO

175.vpr: -O3 -Qxi -QaxK -Qwp_ipo +FDO

176.gcc: -O3 -QxK -Qwp_ipo -Oi- +FDO shlw32M.lib

181.mcf: -O3 -Qxi -QaxK -Qwp_ipo +FDO

186.crafty: -O3 -QxK -Qwp_ipo -Oa +FDO shlw32M.lib

197.parser: -O3 -Qxi -QaxK -Qwp_ipo +FDO

252.eon: -O3 -QxiM -Qwp_ipo +FDO

253.perlbnk: -O3 -QxK -Qipo +FDO shlw32M.lib

254.gap: -O3 -QxK -Qipo -Oi- +FDO shlw32M.lib

255.vortex: -O3 -QxK -Qwp_ipo +FDO shlw32M.lib

Standard Performance Evaluation Corporation

info@spec.org

http://www.spec.org



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Advanced Micro Devices

Tyan Thunder K7 Motherboard, AMD Athlon (TM) MP 1500+

SPECint_rate2000 = 12.1

SPECint_rate_base2000 = 11.8

SPEC license #: 49 | Tested by: AMD Austin TX | Test date: Sep-2001 | Hardware Avail: Oct-2001 | Software Avail: Jul-2001

Notes/Tuning Information (Continued)

256.bzip2: -O3 -QxK -Oa -Qwp_ipo
300.twolf: -O3 -QxK -Qipo -Oa +FDO shlW32M.lib
ONESTEP is used for all base and peak runs
The tested system can be assembled using a case such as the Chenming 601 AE-F-O,
a 460W power supply such as the Delta Electronics DPS465 AB A
The System bus runs at 266MHz