



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant BL20p G2 (3.06GHz/1MB L3 cache, Intel Xeon)

SPECint_rate2000 = 26.8
SPECint_rate_base2000 = 25.8

SPEC license #: 3 Test by: Hewlett-Packard Company, Houston TX Test date: Aug-2003 Hardware Avail: Jul-2003 Software Avail: Jun-2003

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	2	124	26.3	2	116	28.0
175.vpr	2	196	16.6	2	180	18.1
176.gcc	2	79.5	32.1	2	70.2	36.4
181.mcf	2	361	11.6	2	365	11.4
186.crafty	2	85.6	27.1	2	85.2	27.2
197.parser	2	165	25.3	2	162	25.9
252.eon	2	97.7	30.9	2	80.4	37.5
253.perlbnk	2	128	32.7	2	123	33.8
254.gap	2	82.9	30.8	2	79.5	32.1
255.vortex	2	120	36.8	2	126	34.9
256.bzip2	2	176	19.8	2	175	19.9
300.twolf	2	204	34.2	2	210	33.2

Hardware

CPU: Intel Xeon (3.06GHz, 533MHz bus)
CPU MHz: 3066
FPU: Integrated
CPU(s) enabled: 2 cores, 2 chips, 1 core/chip (Hyper-Threading disabled)
CPU(s) orderable: 1,2
Parallel: No
Primary Cache: 12K micro-ops I + 8KBD on chip
Secondary Cache: 512KB(I+D) on chip
L3 Cache: 1024KB(I+D) on chip
Other Cache: N/A
Memory: 2x1024MB PC2100
Disk Subsystem: 2x18.2GB 15K Ultra3 SCSI
Other Hardware:

Software

Operating System: Windows 2000 Server (Build 2195 SP3)
Compiler: Intel C++ Compiler 7.1 Build 20030801Z
Microsoft Visual Studio Enterprise Edition 6.0 (for libraries)
MicroQuill Smartheap Library 7.0
File System: NTFS
System State: Hypertexting disabled in BIOS

Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -QxW -Qipo +FDO shlw32m.lib ONESTEP=yes
Base tuning for C++ programs: -Qipo -GX -GR +FDO ONESTEP=yes
Portability flags:
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
Peak tuning:
164.gzip: -QxW -Qipo -O3 +FDO ONESTEP=yes
175.vpr: -QxW -Qipo -O3 +FDO ONESTEP=yes
176.gcc: -QxW -Qipo -O3 -Oi- +FDO shlw32M.lib ONESTEP=yes
181.mcf: -Oa -Qipo +FDO shlw32M.lib ONESTEP=yes
186.crafty: -QxW -Qipo -O3 +FDO ONESTEP=yes
197.parser: -QxW -Qipo -Oa -O3 +FDO ONESTEP=yes
252.eon: -QxW -Qipo -O3 +FDO ONESTEP=yes
253.perlbnk: -Qipo -O3 -Oa +FDO shlw32M.lib ONESTEP=yes
254.gap: -QxW -Qipo -O3 +FDO ONESTEP=yes
255.vortex: -QxW -Qipo -O3 +FDO ONESTEP=yes
256.bzip2: -Qunroll1 -Qipo -Oa +FDO ONESTEP=yes
```



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant BL20p G2 (3.06GHz/1MB L3 cache, Intel Xeon)

SPECint_rate2000 = 26.8
SPECint_rate_base2000 = 25.8

SPEC license #: 3 | Test by: Hewlett-Packard Company, Houston TX | Test date: Aug-2003 | Hardware Avail: Jul-2003 | Software Avail: Jun-2003

Notes/Tuning Information (Continued)

300.twolf: -Qxi -Qipo +FDO shlw32M.lib ONESTEP=yes