



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM

IBM eServer BladeCenter HS20 (3.2 GHz Intel Xeon)

SPECint_rate2000 = 19.6

SPECint_rate_base2000 = 19.3

SPEC license #: 11 | Tested by: IBM, Research Trinagle Park, NC | Test date: May-2005 | Hardware Avail: Feb-2005 | Software Avail: Oct-2004

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.zip	2	193	16.9	2	194	16.7
175.vpr	2	244	13.3	2	244	13.3
176.gcc	2	103	24.8	2	103	24.8
181.mcf	2	223	18.8	2	223	18.8
186.crafty	2	159	14.6	2	165	14.1
197.parser	2	227	18.4	2	227	18.4
252.eon	2	133	22.6	2	133	22.7
253.perlbnk	2	223	18.8	2	210	19.9
254.gap	2	112	22.8	2	112	22.8
255.vortex	2	148	29.7	2	148	29.8
256.bzip2	2	203	17.1	2	203	17.1
300.twolf	2	359	19.4	2	311	22.3

Hardware

CPU: Intel Xeon (3.2 GHz Xeon, 2MB L2 Cache, 800 MHz system bus)
 CPU MHz: 3200
 FPU: Integrated
 CPU(s) enabled: 1 core, 1 chip, 1 core/chip (Hyper-Threading Technology enabled)
 CPU(s) orderable: 1,2
 Parallel: No
 Primary Cache: 12K(I) micro-ops + 16KB(D) on chip
 Secondary Cache: 2048KB(I+D) on chip
 L3 Cache: N/A
 Other Cache: N/A
 Memory: 4 x 2048 MB ECC PC2-3200 Dual Rank
 Disk Subsystem: 73GB SCSI 10K RPM
 Other Hardware:

Software

Operating System: Windows Server 2003 Standard Edition
 Compiler: Intel C/C++ Compiler 8.1 (20041019Z)
 Intel Fortran Compiler 8.1 (20040802Z)
 Microsoft Visual Studio .NET 13.0.9466 (for libraries)
 MicroQuill Smartheap Library 7.30
 File System: NTFS
 System State: Default

Notes/Tuning Information

GENERAL

ONESTEP=yes
 +FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

PORTABILITY FLAGS

176.gcc: -Dalloca=_alloca /F10000000
 186.crafty: -DNT_i386
 253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
 254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO

BASE TUNING

C: -fast -QxP -Qansi_alias +FDO
 C++: -QxP -Qipo -Qcxx_features +FDO

PEAK TUNING

164.zip: -fast -QxP -Qansi_alias -Oa +FDO
 175.vpr: basepeak=yes
 176.gcc: basepeak=yes
 181.mcf: basepeak=yes
 186.crafty: -fast -QxP -Oa +FDO shlW32M.lib
 197.parser: basepeak=yes
 252.eon: -fast -QxP +FDO
 253.perlbnk: -fast -QxP -Qansi_alias +FDO shlW32M.lib



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM

IBM eServer BladeCenter HS20 (3.2 GHz Intel Xeon)

SPECint_rate2000 = 19.6

SPECint_rate_base2000 = 19.3

SPEC license #: 11 | Tested by: IBM, Research Triangle Park, NC | Test date: May-2005 | Hardware Avail: Feb-2005 | Software Avail: Oct-2004

Notes/Tuning Information (Continued)

```
254.gap:      basepeak=yes
255.vortex    -fast -QxP +FDO
256.bzip2:    -fast -QxP -Qunroll1 -Oa +FDO
300.twolf:    -fast -QxP +FDO shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib:  MicroQuill SmartHeap Library 7.1
              www.microquill.com
```