



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation

AMD Opteron LS20 for IBM eServer Blade Center (AMD Opteron (TM) 250)

SPECfp2000 = 1821

SPECfp_base2000 = 1700

SPEC license #: 11 | Tested by: IBM, Inc. | Test date: Apr-2005 | Hardware Avail: Apr-2005 | Software Avail: Apr-2005

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	1000 2000 3000 4000			
168.wupwise	1600	71.6	2234	74.2	2157	[Bar chart showing ratio 2157]			
171.swim	3100	127	2439	125	2485	[Bar chart showing ratio 2485]			
172.mgrid	1800	115	1565	102	1758	[Bar chart showing ratio 1758]			
173.applu	2100	130	1619	113	1858	[Bar chart showing ratio 1858]			
177.mesa	1400	76.9	1820	72.1	1941	[Bar chart showing ratio 1941]			
178.galgel	2900	107	2710	98.0	2959	[Bar chart showing ratio 2959]			
179.art	2600	120	2166	78.5	3314	[Bar chart showing ratio 3314]			
183.quake	1300	84.9	1531	78.4	1659	[Bar chart showing ratio 1659]			
187.facerec	1900	93.1	2040	93.3	2036	[Bar chart showing ratio 2036]			
188.amp	2200	187	1179	179	1228	[Bar chart showing ratio 1228]			
189.lucas	2000	108	1844	108	1844	[Bar chart showing ratio 1844]			
191.fma3d	2100	139	1512	140	1499	[Bar chart showing ratio 1499]			
200.sixtrack	1100	143	769	141	778	[Bar chart showing ratio 778]			
301.apsi	2600	180	1446	175	1488	[Bar chart showing ratio 1488]			

Hardware

CPU: AMD Opteron 250
 CPU MHz: 2400
 FPU: Integrated
 CPU(s) enabled: 1 core, 1 chip, 1 core/chip
 CPU(s) orderable: 1,2
 Parallel: No
 Primary Cache: 64KBI + 64KBD on chip
 Secondary Cache: 1024KB (I+D) on chip
 L3 Cache: N/A
 Other Cache: N/A
 Memory: 4 x 2048MB, DDR400
 Disk Subsystem: SCSI, 36GB 10K RPM
 Other Hardware: None

Software

Operating System: SuSE Linux 9.0 SLES 64 bit Kernel 2.6.5-7.151-smp (SP1)
 Compiler: PathScale EKOPath(TM) Compiler Suite, Release 2.1
 File System: Linux/reiserfs
 System State: Multi-user, run level 3

Notes/Tuning Information

Tested by IBM, Inc.

```
+FDO: PASS1= -fb_create fbdata PASS2= -fb_opt fbdata
+ACML means -L/opt/acml2.5.1/pathscale64/lib -lacml,
           which causes linking with AMD Core Math Library V2.5.1
```

Baseline optimization

```
C programs: -Ofast -WOPT:mem_opnds=on +FDO
Fortran programs: -Ofast -LNO:fusion=2 -OPT:fast_complex=on +FDO
Portability Flags:
178.galgel: -fixedform
```

Peak Tuning:

```
168.wupwise: -Ofast -LNO:prefetch Ahead=5:prefetch=3
             -OPT:unroll_times_max=8:unroll_size=128:IEEE_NaN_Inf=off:ro=3
             -IPA:linear=on:plimit=50000:callee_limit=5000
             -INLINE:aggressive=on
```



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation

AMD Opteron LS20 for IBM eServer Blade Center (AMD Opteron (TM) 250)

SPECfp2000 = 1821

SPECfp_base2000 = 1700

SPEC license #: 11 | Tested by: IBM, Inc. | Test date: Apr-2005 | Hardware Avail: Apr-2005 | Software Avail: Apr-2005

Notes/Tuning Information (Continued)

```

171.swim: -Ofast -LNO:fusion=2 -m3dnow
172.mgrid: -O3 -LNO:fusion=2:blocking=off
           -OPT:Ofast:unroll_times_max=8:unroll_size=256:ro=3
           -CG:gcm=off:cflow=off -m3dnow
173.applu: -Ofast -CG:local_fwd_sched=on
           -LNO:fusion=2:fission=2:full_unroll_size=10000:prefetch=3
           -OPT:ro=3 -TENV:X=3
177.mesa: -O2 -ipa -OPT:Ofast -fno-math-errno -CG:local_fwd_sched=on +FDO
178.galgel: -Ofast -OPT:fast_complex=on +ACML
179.art: -O3 -OPT:ro=2:div_split=on:alias=typed -fno-math-errno -m32
183.equake: -Ofast -CG:load_exe=2 -OPT:treeheight=on -WOPT:mem_opnds=on -m32
187.facerec: -Ofast -OPT:IEEE_NaN_Inf=off:ro=3 -LNO:fusion=2
            -IPA:plimit=1500 +FDO
188.ammp: -O3 -OPT:alias=disjoint:unroll_times_max=8:Ofast:ro=3
          -fno-math-errno -TENV:X=4 +FDO
189.lucas: basepeak = true
191.fma3d: -O2 -ipa -CG:load_exe=1 -OPT:Ofast:IEEE_arith=3:ro=3
          -WOPT:mem_opnds=on:retype_expr=on -IPA:pu_reorder=1 +FDO
200.sixtrack:= -O3 -OPT:Ofast:Olimit=6000 -fno-math-errno -CG:load_exe=1 +FDO
301.apsi: -Ofast -TENV:X=4 -LNO:fusion=2:prefetch=0

```