



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

IBM Corporation
RS/6000 44P-270 (4 CPU)

SPECint_rate2000 = 11.2
SPECint_rate_base2000 = 10.8

SPEC license #: 11 | Tested by: IBM, Austin, TX | Test date: Jan-2000 | Hardware Avail: Feb-2000 | Software Avail: Feb-2000

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.zip	4	726	8.94	4	694	9.36
175.vpr	4	617	10.5	4	601	10.8
176.gcc	4	389	13.1	4	390	13.1
181.mcf	4	649	12.9	4	640	13.1
186.crafty	4	406	11.4	4	390	11.9
197.parser	4	1265	6.60	4	1007	8.30
252.eon	4	559	10.8	4	559	10.8
253.perlbnk	4	915	9.12	4	915	9.12
254.gap	4	550	9.29	4	519	9.83
255.vortex	4	641	13.7	4	642	13.7
256.bzip2	4	717	9.71	4	685	10.2
300.twolf	4	813	17.1	4	809	17.2

Hardware

CPU: Power3-II
 CPU MHz: 375
 FPU: Integrated
 CPU(s) enabled: 4 cores, 4 chips, 1 core/chip
 CPU(s) orderable: 1,2,3,4
 Parallel: None
 Primary Cache: 32KBI+64KBD (on chip)
 Secondary Cache: 4MB unified (off chip)
 L3 Cache: None
 Other Cache: None
 Memory: 4GB
 Disk Subsystem: 2x9.1GB IBM Fast/Wide SCSI 7200 RPM
 Other Hardware: None

Software

Operating System: AIX 4.3.3
 Compiler: C: IBM VAC 5.0 invoked as 'cc' except where noted as 'xlc'
 C++: IBM C++ 3.6.6.1 invoked as 'xlc'
 File System: AIX/JFS
 System State: Multi-user

Notes/Tuning Information

Portability Flags:

```
gcc: -ma -qlanglvl=ansi -DHOST_WORDS_BIG_ENDIAN
crafty: -DAIX
eon: -DNEED_EXPLICIT_SPECIALIZATION
perlbnk: -DSPEC_CPU2000_AIX
gap: -DSYS_IS_BSD -DSYS_STRING_H -DSYS_HAS_TIME_PROTO -DSYS_HAS_MALLOC_PROTO -DSYS_HAS_CALLOC_PROTO
twolf: -DHAVE_SIGNED_CHAR
```

NOTE: The flag combination "qpdf1/qpdf2" indicates a 2 step compilation process
 the exact process is as follows:

```
fdo_pre0 = rm -rf ${PDFDIR}; mkdir -p ${PDFDIR}
PASS1_FLAGS    ==qpdf1 <optimization flags>
PASS1_LDFLAGS  =<optimized libraries> -L<pdf library location> -lpdf
PASS2_FLAGS    ==qpdf2 <optimization flags>
PASS2_LDFLAGS  ==<optimized libraries>
```

Base Flags:

```
C: -qpdf1/pdf2 -O3 -qarch=pwr3 -lhm
C++: -qpdf1/pdf2 -O3 qarch=ppc qtune=pwr3
```

Peak Flags:

```
164.zip: xlc -O5
175.vpr: xlc -qpdf1/pdf2 -O3 -qarch=pwr3 -bnso -bI:/lib/syscalls.exp
```



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

IBM Corporation
RS/6000 44P-270 (4 CPU)

SPECint_rate2000 = 11.2
SPECint_rate_base2000 = 10.8

SPEC license #: 11 | Tested by: IBM, Austin, TX | Test date: Jan-2000 | Hardware Avail: Feb-2000 | Software Avail: Feb-2000

Notes/Tuning Information (Continued)

```
176.gcc: -qpdf1/pdf2 -O3 -qarch=pwr3 -lhmu
181.mcf: xlc -qpdf1/pdf2 -O5 -bnso -bI:/lib/syscalls.exp
186.crafty: xlc -qpdf1 -O3 -Q=500 -qarch=pwr3
197.parser: xlc -O5 -qipa=partition=large -bnso -bI:/lib/syscalls.exp
252.eon: -qpdf1/pdf2 -O3 -qarch=ppc -qtune=pwr3 -lhmu
253.perlbnk: -qpdf1/pdf2 -O3 -qarch=pwr3 -lhmu
254.gap: -O5 -qansialias -lhmu
255.vortex: -qpdf1/pdf2 -O5 -Q=500
256.bzip2: xlc -O3 -qarch=pwr3 -lhmu
300.twolf: xlc -O5 -Q=500 -lhmu
```