



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

IBM Corporation  
RS/6000 44P-270 (2 CPU, 4MB L2)

SPECfp\_rate2000 = 7.62

SPECfp\_rate\_base2000 = 6.60

SPEC license #: 11 | Tested by: IBM, Austin, TX | Test date: Aug-2000 | Hardware Avail: Feb-2000 | Software Avail: Oct-2000

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	2	535	6.94	2	303	12.3
171.swim	2	1574	4.57	2	1010	7.12
172.mgrid	2	692	6.04	2	700	5.96
173.applu	2	787	6.19	2	784	6.22
177.mesa	2	513	6.33	2	513	6.33
178.galgel	2	785	8.57	2	789	8.53
179.art	2	355	17.0	2	355	17.0
183.quake	2	334	9.04	2	245	12.3
187.facerec	2	906	4.87	2	574	7.68
188.amp	2	839	6.08	2	729	7.00
189.lucas	2	831	5.58	2	828	5.60
191.fma3d	2	771	6.32	2	750	6.49
200.sixtrack	2	583	4.38	2	583	4.38
301.apsi	2	921	6.55	2	848	7.11

### Hardware

CPU: IBM Power3-II  
CPU MHz: 375  
FPU: Integrated  
CPU(s) enabled: 2 cores, 2 chips, 1 core/chip  
CPU(s) orderable: 1,2,3,4  
Parallel: No  
Primary Cache: 32KBI+64KBD (on chip)  
Secondary Cache: 4MB (I+D) (off chip)  
L3 Cache: None  
Other Cache: None  
Memory: 4GB  
Disk Subsystem: 1x9.1GB IBM Ultra-2 SCSI, 10000RPM  
Other Hardware: None

### Software

Operating System: AIX 4.3.3 + beta of APAR IY12051  
Compiler: Fortran 77 and 90: IBM xl Fortran 6.1 invoked as 'xlF90'  
C: IBM VAC 5.0 invoked as 'xlC'  
File System: AIX/JFS  
System State: Multi-user

## Notes/Tuning Information

### Portability Flags

-qfixed used in: wupwise, swim, mgrid, applu, galgel, sixtrack, apsi  
-qsuffix=f=f90 used in: galgel, facerec, lucas, fma3d

NOTE: The flag combination 'qpdf1/qpdf2' indicates a 2 step compilation process, the exact process is as follows:

```
fdo_pre0 = rm -rf ${PDFDIR}; mkdir -p ${PDFDIR}
PASS1_FLAGS    =--qpdf1 {optimization flags}
PASS1_LDFLAGS  = {libraries} -L{pdf library location} -lpdf
PASS2_FLAGS    =--qpdf2 {optimization flags}
PASS2_LDFLAGS  =--{libraries}
```

### Base Optimization Flags:

Fortran: -qpdf1/pdf2 -O3 -qarch=pwr3 -lmass  
C: -O5 -lmass

### Peak Optimization Flags:

168.wupwise: -qpdf1/pdf2 -O4 -qipa=level=2 -lmass  
171.swim: -qpdf1/pdf2 -O4 -qipa=level=2 -qhot -lmass  
172.mgrid:-O3 -qarch=pwr3 -qhot



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

IBM Corporation  
RS/6000 44P-270 (2 CPU, 4MB L2)

SPECfp\_rate2000 = 7.62  
SPECfp\_rate\_base2000 = 6.60

SPEC license #: 11 | Tested by: IBM, Austin, TX | Test date: Aug-2000 | Hardware Avail: Feb-2000 | Software Avail: Oct-2000

## Notes/Tuning Information (Continued)

```
173.applu: -qpdf1/pdf2 -O3 -qarch=pwr3 -lmass
177.mesa: -O5 -lmass
178.galgel: -O4 -qipa=level=2 -qhot -lmass
179.art: -O5 -lmass
183.quake: -O5 -lmass -lhm
187.facerec: -O3 -qarch=pwr3 -qhot -lmass
188.amp: -O3 -qarch=pwr3 -bnso -bI:/lib/syscalls.exp
189.lucas: -qpdf1/pdf2 -O3 -qarch=pwr3 -lmass
191.fma3d: -O4 -qipa=level=2 -qhot -lmass
200.sixtrack: -O3 -qarch=pwr3
301.apsi: -O4 -qipa=level=2 -qhot -lmass -bnso -bI:/lib/syscalls.exp
```